REPAIRABILITY INDEX CALCULATION AND PRESENTATION OF THE PARAMETERS WHICH ALLOWED TO ESTABLISH IT

Corded vacuum

Date of calculation	28/11/2022		
Producer's or importer's name or trademark	OWIM GmbH & Co. KG		
Producer or importer adress	Stiftsbergstraße 1, 74167 Neckarsulm, GERMANY		
Producer's or importer's model identifier	HG09960		

This "FINAL_SCORE" tab in English is purely indicative. In order to meet regulatory obligations, only the "NOTE_FINALE" tab in French (see the next tab) is to be sent. Note: The results are automatically reported in the French tab.

(see the next tab) is to be sent. Note: The results are automatically reported in the French tab.							
Criteria	Sub-criteria	Score of subcriterion /10	Weighting factor of subcriterion	Score of criterion /20	Total criteria scores /100		
CRITERION 1 : DOCUMENTATION	${f 1.1}$ Availability of the technical documentation and other documentation related to user and maintenance instructions	1,9	2	3,8			
DISASSEMBLY, ACCESSIBILITY, TOOLS,	2.1 Ease of disassembly parts from List 2*	10,0	1				
	cessary tools (List 2) 7,0 0,5		18,0				
	2.3 Fasteners characteristics parts from List 1** and List 2	9,0	0,5		51,9		
CRITERION 3 : AVAILABILITY OF SPARE PARTS	3.1 Availability over time parts from List 2	0	1				
	3.2 Availability over time parts from List 1	3,0	0,5	2,1			
	3.3 Delivery time parts from List 2	0	0,3				
	3.4 Delivery time parts from List 1	3,0	0,2				
SPARE PARTS	4. Ratio between price of parts from list 2 to the price of the product	10,0	2	20,0			
CRITERION 5 : SPECIFIC CRITERION	5.1 Free remote assistance	4,0	2	8,0			
Reparability index on 10					5,2		

^{*} list 2: list of a maximum of 3 to 5 spare parts (depending on the category of equipment concerned) whose broken or malfunctioning parts are the most frequent;

^{**} list 1: list of a maximum of 10 other spare parts (depending on the category of equipment concerned) whose good condition is necessary for the operation of the equipment.